

General Risk Assessment Record Form

School Name: **Walton Priory Middle School** 2. Assessor(s)...**A Wilson and D Richardson...**

1. **Description of Task: Lateral Flow Testing LFT asymptomatic testing of Secondary Employees and Students.** Lateral Flow Antigen testing is used to estimate the incidence and prevalence of COVID19 in the school population. It involves the processing of human nasal swabs, throat swabs, or sputum samples with a Lateral Flow Device (LFD) in accordance with Staffordshire and Stoke Standard Operating Procedure. The LFD test kit uses immunochromatography, which draws the sample along the device in a similar way to a home pregnancy test kit. LFDs are designed to be used outside a formal laboratory setting and can be used for frequent testing of large numbers of asymptomatic people.

What are the hazards?	Who might be harmed and how?	What are you already doing? List the control measures already in place	What is the risk rating – H, M, L? See section 5	What further action, if any, is necessary, if so what action is to be taken by whom and by when?	Action Completed State the date completed and sign.	What is the risk rating now – H, M, L? See Section 5
Inappropriate premises identified for testing	Staff and pupils attending – failure to follow agreed Standard Operating Procedures may jeopardise the validity of testing and cause harm from possible infection	Room chosen is: <ul style="list-style-type: none"> - large enough to set up one-way queuing system, registration area, multiple test stations, areas for processing and recording results - Allows for social distancing measures between all areas - has door(s) to outside (where possible) to facilitate one-way systems with external entry and exit - can be kept separate from all other activities - has internet access/mobile signal - is well lit - is clean, and easy to clean with non-porous flooring - can be ventilated - restricted access for testing signs are on doors 	L - M			

What are the hazards?	Who might be harmed and how?	What are you already doing? List the control measures already in place	What is the risk rating – H, M, L? See section 5	What further action, if any, is necessary, if so what action is to be taken by whom and by when?	Action Completed State the date completed and sign.	What is the risk rating now – H, M, L? See Section 5
Inappropriate premises identified for testing	Staff and pupils attending – failure to follow agreed Standard Operating Procedures may jeopardise the validity of testing and cause harm from possible infection	<ul style="list-style-type: none"> - Has access to toilets/washing facilities dedicated to testing staff (or if not, with an increased cleaning regime) - Has an ambient temperature of 15-30C during testing - Has appropriate and secure storage for test equipment (2-30C) and PPE - Test site has been registered as a test station by the SCC Testing Cell -Testing site has suitable donning and doffing areas which are separate to allow staff to put on and take off their required PPE inline with the training and SOP. 	L - M			
Pupils/staff cannot register for a test	Participants will not be able to be tested without registration	Staff being tested must have: <ul style="list-style-type: none"> - a mobile “smart” phone with internet access/ability to scan - Have registered for a test - Are supported to scan the barcode with their phones - Pupils will be registered by the school in a bulk document 	L - M	If staff are unable to register then a member of the test team has capacity and equipment to complete the registration process on their behalf.		

What are the hazards?	Who might be harmed and how?	What are you already doing? List the control measures already in place	What is the risk rating – H, M, L? See section 5	What further action, if any, is necessary, if so what action is to be taken by whom and by when?	Action Completed State the date completed and sign.	What is the risk rating now – H, M, L? See Section 5
Inappropriate staff supporting testing	Failure to follow agreed Standard Operating Procedures (SOP) may jeopardise the validity of testing of staff and pupils and cause harm from possible infection	<p>Testing staff:</p> <ul style="list-style-type: none"> - Are appropriately trained, DBS checked and/or supervised for the role. Training includes test preparation and test results, clinical swabbing, safe donning and doffing of PPE etc. - Understand their duties and have appropriate time allocated for their role eg, Team Leader, queue co-ordination, registration; test assistant, test processor and recording results - Team leader ensures quality of testing and adherence to Standard Operating Procedures (SOP) and risk assessments 	L – M	Continual monitoring and quality assurances checks carried out by the Team Leader with appropriate changes made if necessary, eg, having more testing staff		
Failure to obtain consent from those being tested	Staff and pupils attending – failure to follow agreed Standard Operating Procedures and breach of safeguarding protocols	<ul style="list-style-type: none"> - Participants are advised of how the test data will be used - Written consent is obtained and recorded from each participant before the test is performed. - For those people unable to give informed consent due to age (<16) or mental capacity, written consent is obtained from parent /carer/guardian - the school stores a copy of consent forms as required by their information governance policy 	L			

What are the hazards?	Who might be harmed and how?	What are you already doing? List the control measures already in place	What is the risk rating – H, M, L? See section 5	What further action, if any, is necessary, if so what action is to be taken by whom and by when?	Action Completed State the date completed and sign.	What is the risk rating now – H, M, L? See Section 5
Contact between persons increasing the risk of transmission of COVID19	Testing staff or participants may be harmed by transmission of the virus leading to ill health or potential death	<ul style="list-style-type: none"> -Those to be tested are advised NOT to attend if they have any symptoms of COVID 19, or live with someone who is showing symptoms of COVID 19 - Anyone with symptoms must attend for a PCR test through the national system - Those to be tested must NOT attend if have been advised to self-isolate with a household member/have ongoing contact with someone who has received a positive test - Respiratory hygiene, hand washing, safe donning and doffing of PPE and social distancing guidance are regularly reinforced by Team Leader and monitored. -Testing staff wear IIR grade face masks and visors/goggles, disposable gloves and aprons/long sleeved aprons as per role guidance in SOP - all staff regularly reminded of infection prevention & control guidance 	L - M			

<p>Contact between persons increasing the risk of transmission of COVID19</p>	<p>Testing staff or participants may be harmed by transmission of the virus leading to ill health or potential death</p>	<ul style="list-style-type: none"> - Staff involved in the face to face testing process have been vaccinated -PPE is worn for sessional or individual use as required by the SOP and changed if soiled/contaminated -Pupils will line up on yard in alphabetical order prior to going to form - In form pupils will be in groups of 6 with 2m distance between groups - Pupils will go to and from test room in groups of 6 accompanied by a member of staff - “Business as usual” school staff not to enter the testing site unless being tested - Signage is displayed for: <ul style="list-style-type: none"> Wearing of face coverings Use of hand sanitiser Not to attend with symptoms -70% alcohol hand sanitiser (EN1500 standard) provided by entrance, exit and at each testing area and workstation - Use of sanitiser/wearing of face coverings/social distancing is enforced by queue monitor - Pupils/staff are tested from the same bubble - Tables and chairs are easily cleaned 	<p>L - M</p>			
---	--	--	--------------	--	--	--

<p>Contact between persons increasing the risk of transmission of COVID19</p>	<p>Testing staff or participants may be harmed by transmission of the virus leading to ill health or potential death</p>	<ul style="list-style-type: none"> - Face coverings to be worn at all times by those being tested except when lowered for swabbing purposes - Spare IIR face masks are available for participants if needed - All touch points are disinfected with anti-viral single use wipes between tests - Due to current lower numbers some equipment is shared as staff are undertaking multiple roles, equipment is however cleaned between each use. When larger numbers return it is likely that there will be no sharing of equipment - No physical handling of documents to participants except barcodes/test kits - Perspex screens installed at registration and processing desks where possible (testing staff to wear IIR face masks/visors/goggles where these are not available) -Pupils return to class immediately after testing and do not wait in vicinity for results - Staff supporting top up of supplies within test premises do so when no testing activity is taking place 	<p>L -M</p>			
---	--	--	-------------	--	--	--

What are the hazards?	Who might be harmed and how?	What are you already doing? List the control measures already in place	What is the risk rating – H, M, L? See section 5	What further action, if any, is necessary, if so what action is to be taken by whom and by when?	Action Completed State the date completed and sign.	What is the risk rating now – H, M, L? See Section 5
Difficulty with carrying out throat and mid-turbinate nasal swab or contamination of swabs	Testing staff or participants may be harmed by transmission of the virus leading to ill health or potential death	<ul style="list-style-type: none"> - Only sealed swabs are given out - Any damaged test packaging is not used, is treated as waste and this non-use recorded - Pupil to sanitise hands, use a tissue, and sanitise hands again before opening swab packet - Verbal explanations are provided of how to use the swab in throat and nose - Test subject advised to avoid touching swab on any surface within mouth other than tonsils - Freestanding mirror's provided in testing area - Disposable vomit bowls are provided for those with gag reflex and spillage guidelines followed - Alternative double mid-turbinate swabbing can be used - Test area/booths are thoroughly cleaned and disinfected before next use e.g: table, chair, mirror and laminated posters are wiped between each test with disposable cloths and disinfectant effective against enveloped viruses - Alternative test station available if required by pupil 	L – M - H	<p>Assess whether a self-test kit can be issued event if pupil has not tested on site</p> <p>All published information will be reviewed when pupil testing is underway and laminated posters explaining swabbing process will be displayed when children return</p>	Ongoing	

<p>Failure to manage samples and coding</p>	<p>Failure to follow agreed Standard Operating Procedures – participants may receive wrong results</p>	<ul style="list-style-type: none"> - Registration staff ensures 2 identical barcodes are provided to participants - Staff register their details to a unique ID barcode before conducting the test - Pupils are registered in bulk by the Team Leader - Barcodes are attached by testing staff at sample collection desk - Barcodes are checked for a match at the analysis desk and attached to Lateral Flow Device - LFD is processed in accordance with SOP and manufacturers guidance - Samples are processed one at a time - Tube racks are used to avoid spillage - Extraction solution bottles are cleaned with anti-viral disinfectant wipes between samples - Test processor changes gloves/sanitises between each test - The correct amount of extraction solution is used - Enough time is allowed for each sample to register the results (30 minutes) 	<p>L – M</p>	<p>Given that KS3 pupils are only required to undertake 3 tests in school the testing activity is manageable within existing roles. This will be continually monitored by the Team Leader and additional staff bought in if necessary</p>		
<p>Failure to manage samples and coding</p>	<p>Failure to follow agreed Standard Operating Procedures -</p>	<ul style="list-style-type: none"> - Permanent black pen is used to record results - Testing process is supervised - Errors are reported and investigated 	<p>L</p>			

What are the hazards?	Who might be harmed and how?	What are you already doing? List the control measures already in place	What is the risk rating – H, M, L? See section 5	What further action, if any, is necessary, if so what action is to be taken by whom and by when?	Action Completed State the date completed and sign.	What is the risk rating now – H, M, L? See Section 5
	Test subject may receive wrong results	- Results are monitored/validated as required by SOP				
Damaged barcode, lost LFD, failed scan of barcode	Orphaned record on registration portal & “No Result” advice to test subject	- Where participants have not received an emailed result within 48 hours after the test they must notify the school	L			
Use of test solutions when processing test kit. Contains the following components: NA ₂ HPO ₄ (disodium hydrogen phosphate), NaH ₂ PO ₄ (sodium phosphate monobasic), NaCl (Sodium Chloride)	Testing staff could be harmed by inappropriate use of chemicals	<ul style="list-style-type: none"> - Chemical components are not classified as hazardous for use as designed. - COSHH assessment completed for testing solution and advice followed in case of spillage, inhalation, ingestion or absorption through the skin or disposal of surplus product - PPE (nitrile gloves/safety glasses with side shields/impervious clothing) is worn at all time when handling extraction solution - Tester will not use solution if use by date has expired - Training is provided in handling potentially biohazardous samples, chemicals and good lab practice. 	L			

What are the hazards?	Who might be harmed and how?	What are you already doing? List the control measures already in place	What is the risk rating – H, M, L? See section 5	What further action, if any, is necessary, if so what action is to be taken by whom and by when?	Action Completed State the date completed and sign.	What is the risk rating now – H, M, L? See Section 5
Test staff feeling unwell/ displaying COVID 19 symptoms	Testing staff and participants could be exposed to COVID19 virus	<ul style="list-style-type: none"> - Member of testing staff will isolate and remove themselves from the test centre immediately following safe travel guidance and request a test. - All staff involved in testing face to face roles have received a vaccine - Any PPE worn by testing staff or those supporting them is treated as clinical waste - Their work area is thoroughly cleaned and disinfected before re-use - Spare staff capacity in place to replace their role 	L – M	Spare staff available if needed or the length of time required to carry out all tests will be extended		

What are the hazards?	Who might be harmed and how?	What are you already doing? List the control measures already in place	What is the risk rating – H, M, L? See section 5	What further action, if any, is necessary, if so what action is to be taken by whom and by when?	Action Completed State the date completed and sign.	What is the risk rating now – H, M, L? See Section 5
Failure to manage those who test as Positive for COVID 19	Other occupants of the premises could be exposed to could be exposed to COVID19 virus	<ul style="list-style-type: none"> - Participant with positive test will be taken out of class discreetly, advised of test results and taken to well ventilated isolation area for suspected Covid cases - Pupil/staff member will be advised to leave the site immediately, and to follow safe travel guidance - Pupil/staff member must follow national isolation guidance with their household - Isolation area not to be used again until cleaned and disinfected - School takes advice from Local Outbreak Control and isolate close contacts 	L			
Unsafe manual handling	Testing staff could be harmed by musculo-skeletal injury	<ul style="list-style-type: none"> - safe handling principles are followed - PPE and test kits are stored appropriately to avoid reaching and stretching to access items - Two person lifts used (wearing PPE) where furniture needs to be moved to set up test site 	L			

What are the hazards?	Who might be harmed and how?	What are you already doing? List the control measures already in place	What is the risk rating – H, M, L? See section 5	What further action, if any, is necessary, if so what action is to be taken by whom and by when?	Action Completed State the date completed and sign.	What is the risk rating now – H, M, L? See Section 5
Lack of planning for emergencies	All persons could be harmed by failure to provide first aid in case of injury or from exposure to fire and smoke or a test could be invalidated	<ul style="list-style-type: none"> - First aid support is available at all times that the test site is operating. - First aiders have the required PPE to support Covid-suspect cases - Fire evacuation notices are displayed in testing premises - All test staff are made aware of fire evacuation procedure - Fire exits from testing site are unlocked at all times during occupancy - Visitors supporting younger pupils (where tested) are made familiar with emergency procedures - In the event of an emergency, all samples that have been placed into the extraction buffer or have not been marked by pen with a result will be abandoned, and later recorded as invalid. Subjects who receive an invalid result will need to be retested. 	L			

What are the hazards?	Who might be harmed and how?	What are you already doing? List the control measures already in place	What is the risk rating – H, M, L? See section 5	What further action, if any, is necessary, if so what action is to be taken by whom and by when?	Action Completed State the date completed and sign.	What is the risk rating now – H, M, L? See Section 5
Inappropriate storage and disposal of clinical waste	Others in the waste chain could be exposed to COVID19 virus	<ul style="list-style-type: none"> - Managers overseeing workplace testing follow the waste arrangements identified in the appropriate SOP - The waste is separated and stored appropriately especially any waste classified as clinical/offensive including the test kit, any cleaning materials and the PPE (It is not acceptable to store this waste for 72 hours and then to add to the municipal waste chain). - Clinical waste bins/boxes are used at all test stations to collect this waste. These are covered and/ or pedal operated and double bagged in correct coloured bags. - Our Hygiene/Licensed Waste Provider (PHS) provides a collection service for this waste. Waste consignment records for transferring waste kept for 2 years. - Until collection arrangements are confirmed the waste is triple bagged in plain white, yellow, clear or tiger bags and securely stored. 	L			

What are the hazards?	Who might be harmed and how?	What are you already doing? List the control measures already in place	What is the risk rating – H, M, L? See section 5	What further action, if any, is necessary, if so what action is to be taken by whom and by when?	Action Completed State the date completed and sign.	What is the risk rating now – H, M, L? See Section 5
Exposure of cleaning staff	Cleaning staff could be exposed to COVID19 virus	<ul style="list-style-type: none"> - Testing staff undertake cleaning of test areas and high touchpoint areas between each test - Cleaners only enter test area when testing activity has ended unless called to deal with a spillage - Type IIR masks, gloves and aprons/long sleeved aprons are worn by cleaning staff in non-Covid secure areas - All potentially contaminated surfaces are cleaned and disinfected using single use cloths/wipes, paper roll or disposable mop heads - Supplies of suitable cleaning agents and disinfectants compliant with SOP are available i.e ChloreClean® and Clinell® Universal Wipes - COSHH assessments for these products have been communicated with staff - PPE is discarded after cleaning up spillage - Cleaning materials and PPE are treated as offensive/clinical waste 	L			

4. Tick (✓) if any of the identified hazards relate to any of the following specific themes:

Hazardous Substance	Manual Handling	Display Screen Equip	Fire	Work Equip / Machinery	Stress	Individual Person such as Young Person New/ Expectant Mother or Service User

If any are ticked a specific risk assessment form must be completed separately. For example a COSHH form must be completed if a hazardous substance is used.

5. Risk Rating

The risk rating is used to prioritise the action required. Deal with those hazards that are high risk first.

		Potential severity of harm <i>(this may injury, loss or damage)</i>		
		Minor Harm 1	Moderate Harm 2	Serious Harm 3
Likelihood of harm occurring	Highly unlikely 1	Trivial 1	Low 2	Medium 3
	Unlikely 2	Low 2	Medium 4	High 6
	Likely 3	Medium 3	High 6	High 9

Risk Rating	Action Priority
High (6-9)	Immediate action required
Medium (3-4)	Actions to control the risk must now be considered and steps to manage the risk until control measures can be provided must implemented.
Low (2)	Implement reasonable control measures and monitor.

Trivial (1)	No action required unless level of harm or likelihood changes.
--------------------	--

6. Assessment

Signature of Assessor(s): **Alison Wilson**

Signature of Line Manager:

Print Name:

Print Name: Lindsay Taylor-Potts

Date Assessed: **04/03/2021**

Review Date: Weekly

7. Communication and Review

This risk assessment should be communicated to all employees and relevant persons who may come into contact with the hazards being assessed. The assessment must be reviewed annually or following a significant change, accident or violent incident.

Name	Signature	Name	Signature